



# Finger Joint System

- PRECISE
- STURDY
- RELIABLE
- ECONOMICAL




# FULLPOWER



MOD : FJS-380A  
 FJS-380C (With conveyor table)  
**FINGER SHAPING MACHINE**

MOD : FJG-150  
**GLUE APPLICATOR**



- The feeding of working table of our Finger Shaping Machine is controlled by a hydraulic system and moves on 2 high accurate linear guide ways to for a smooth feeding and to ensure a precise shaping.
- After shaped, workpieces will be pushed out by a cylinder pusher for easy unloading.
- Working Table also can be equipped with a Belt Conveyor for convenient & efficient feeding. (Optional)

This glue applicator is adapting a convenient and efficient gluing device. The gluing is controlled by the foot pedal. Push down the foot pedal, the Finger Jig will automatically elevate and once the finger shaped workpiece completely connected with the Finger Jig, the gluing will be applied.

# FINGER JOINT SYSTEM

Let FULLPOWER'S High-Quality, High Efficient and High Precise Finger Joint Machinery Upgrade Your Productivity and Create Your High Profit

MOD : FJA-460APS (One section)

FJA-460APT (Two section)

## HYDRAULIC FINGER ASSEMBLER



• The feeding of workpieces is driven by "Gear Rollers Feeder" which can ensure a smooth delivery to the pre-set Position and also there are auxiliary rollers to fix workpieces for smoothly running to the desired position, When delivered to the pre-set Position, the Cut off saw will cut off the workpiece automatically.



• The assembling length can be pre-set by the "Limit Switch". Once the workpiece runs to the desired assembling length, the front Gear Rollers will stop rolling. And after assembled, the Gear Rollers will resume delivering. It is to ensure the security and extend the life of machine.



富堡實業有限公司

**FULPOW INDUSTRIAL CORP.**

7F-2, NO. 400, SEC. 1, CHANG PING ROAD, TAICHUNG, TAIWAN

TEL: 886-4-2243 9235 (REP)

FAX: 886-4-2244 3829

E-MAIL: fulpow@ms7.hinet.net



## FINGER SHAPING MACHINE

MOD : FJS-380A	
Working Table	800 x 380mm(Optional : working width upto 380mm)
Working Size	800 x 380 x 150mm
Saw Motor	3HP x 1PC
Spindle Shaping Motor	15HP x 1PC
Hydraulic Pump	2HP x 1PC
Machine Size	2320 x 1870 x 1480
Packing Size	2390 x 1375 x 1655
Machine Weight : N.W / G.W	1200kgs / 1500kgs
Air Supply Required	5-6kgs / sq : cm

## HYDRAULIC FINGER ASSEMBLER

	MOD : FJA-460APS	MOD : FJA-460APT
Working Size Max.	4600 x 150 x 75mm ( Optional : up to 4.6M length)	4600 x 150 x 75mm ( Optional : up to 4.6M length)
Working Size Min.	3000 x 22 x 18mm ( Optional : below to 3M length)	3000 x 22 x 18mm ( Optional : below to 3M length)
Power: Sawing	2HP x 1PC	2HP x 1PC
Hydraulic Pump motor	5HP x 1PC	5HP x 1PC
Feeding motor	1 / 4 HP x 1PC	1 / 4 HP x 1PC
Machine Size L x W x H	5760 x1210 x 1520	5760 x1210 x 1520
Machine Size N.W / G.W	1600kgs / 2000kgs	1900kgs / 2100kgs
Packing Size L x W x H	5895 x 865 x 1680	5895 x 995 x 1680

## GLUE APPLICATOR

MOD : FJG-150	
Efficient Working Table	150 x 150mm
Air Supply Required	5-6kgs / sq.cm
Machine Size	540 x480 x 1200mm
Machine Weight N.W / G.W	120kgs / 160kgs
Packing Size	765 x 610 x 1375mm



**FULLPOWER®**

富堡實業有限公司

**FULPOW INDUSTRIAL CORP.**

7F-2, NO. 400, SEC. 1, CHANG PING ROAD, TAICHUNG, TAIWAN

TEL: 886-4-2243 9235 (REP.)

FAX: 886-4-2244 3829

E-MAIL: fulpow@ms7.hinet.net